

REMARKS

This application has been reviewed in light of the Final Office Action mailed on September 10, 2003. Claims 1-16 are pending in the application with Claims 1 and 9 being in independent form. By the present amendment, Claims 1, 4, 6 and 9 have been amended and Claims 10-16 have been added. No new matter or issues are believed to be introduced by the amendments.

In the Final Office Action, Claim 1 was objected to. Claim 1 has been amended herein in a manner which is believed to obviate the objection. In particular, Claim 1 has been amended according to the Examiner's suggestions as outlined in the Final Office Action, page 3. Accordingly, withdrawal of the objection is respectfully requested.

Claims 1, 7 and 9 were rejected under 35 U.S.C. §102(b) as being anticipated by U.S. Patent No. 5,370,118 issued to Vij et al. on December 6, 1994 ("Vij et al.").

Independent Claims 1 and 9 have been amended in a manner which is believed to better define Applicants' invention and to overcome the rejection. Claim 1 has been amended to recite "A magnetic resonance imaging apparatus comprising: an RF coil system comprising at least two sets of at least two RF coils which detects RF signals from a region of interest, at least two receiver channels which receive and process the detected RF signals, and a control unit which controls at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, said at least one detected RF signal is combined with an RF signal of at least two RF coils depending on the imaging parameters, said control unit applies the combined RF signals to separate receiver channels, such that at least two detected RF signals can be combined to form a combined signal and the combined signal is applied to one particular receiver channel."

(Emphasis added) Claim 9 has been amended to recite similar recitations as the recitations added to Claim 1.

Vij et al. does not disclose or suggest at least the newly added limitations to Claims 1 and 9. Vij et al. is directed to a quadrature local coil which includes two coil sets placed on opposite sides of the patient, each coil set having a single loop and a split loop so as to be sensitive to quadrature components of a flux field centered between the coil sets. Figure 5 is a schematic diagram of the coils of the coil sets showing combining of the signals from each coil using combining networks 82 and 86. Vij et al. does not disclose or suggest structure for selectively routing each signal prior to being combined with another signal by either combining network 82 or 86. Each signal is routed along a fixed route, as shown by Figure 5, and combined by either combining network 82 or 86. Figure 5 does not include at least one switch or any type of switching assembly for selectively routing each signal between two or more routes, let alone, towards separate receiver channels.

More specifically, Vij et al. does not disclose or suggest at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, as recited by Applicants' Claim 1. Further, Vij et al. does not disclose or suggest the step of controlling at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, as recited by Applicants' Claim 9. Accordingly, withdrawal of the rejection under 35 U.S.C. §102(b) and allowance of Claims 1 and 9 are respectfully requested.

Claim 7 depends from Claim 1, and therefore includes the limitations of Claim 1. Accordingly, for the same reasons given for Claim 1, Claim 7 is believed to contain

patentable subject matter. Accordingly, withdrawal of the rejection under 35 U.S.C. §102(b) and allowance of Claim 7 are respectfully requested.

Claims 1-7 and 9 were rejected under 35 U.S.C. §102(e) as being anticipated by U.S. Patent No. 6,377,044 issued to Burl et al. on April 23, 2002 (“Burl et al.”).

Independent Claims 1 and 9 have been amended in a manner which is believed to better define Applicants’ invention and to overcome the rejection. Claim 1 has been amended to recite “A magnetic resonance imaging apparatus comprising: an RF coil system comprising at least two sets of at least two RF coils which detects RF signals from a region of interest, at least two receiver channels which receive and process the detected RF signals, and a control unit which controls at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, said at least one detected RF signal is combined with an RF signal of at least two RF coils depending on the imaging parameters, said control unit applies the combined RF signals to separate receiver channels, such that at least two detected RF signals can be combined to form a combined signal and the combined signal is applied to one particular receiver channel.” (Emphasis added) Claim 9 has been amended to recite similar recitations as the recitations added to Claim 1.

Burl et al. does not disclose or suggest at least the newly added limitations to Claims 1 and 9. Burl et al. is directed to a magnetic resonance apparatus which includes a multi-mode receiver assembly which facilitates operation in both a quadrature combination mode and phased array mode. In the quadrature combination mode, two RF signals are combined to produce two signals; each of the two signals produced is applied to a separate receiver channel, i.e., either channel 1 or 2. Burl et al. also discloses that in

a neck imaging application, at least one butterfly and one loop or ladder coil are combined in quadrature as a single channel. See col. 5, lines 37-39. Hence, Burl et al. suggests the use of a combiner, such as combiner 42, for performing this function. In the phased array mode, two RF signals are not combined, but delayed with respect to each other and passed separately to the receiver channels. See col. 4, lines 43-59.

As discussed above with respect to Vij et al., Burl et al. also does not disclose or suggest at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, as recited by Applicants' Claim 1, when operating in the quadrature combination and phased array modes. Further, Burl et al. does not disclose or suggest the step of controlling at least one switch that selectively routes at least one detected RF signal towards separate receiver channels, as recited by Applicants' Claim 9, when operating in the quadrature combination and phased array modes. Accordingly, withdrawal of the rejection under 35 U.S.C. §102(e) and allowance of Claims 1 and 9 are respectfully requested.

Claims 2-7 depend from Claim 1, and therefore include the limitations of Claim 1. Accordingly, for the same reasons given for Claim 1, Claims 2-7 are believed to contain patentable subject matter. Accordingly, withdrawal of the rejection under 35 U.S.C. §102(e) and allowance of Claims 2-7 are respectfully requested.


Claim 8 was rejected under 35 U.S.C. §103(a) as being unpatentable over Burl et al. as applied to Claims 1-7 and 9 above, and further in view of Pruessmann et al., article titled, "SENSE: Sensitivity encoding for Fast MRI," Magnetic Resonance in Medicine, vol 42, pages 952-962, 1999 ("Pruessmann et al.").

Claim 8 depends from Claim 1, and therefore includes the limitations of Claim 1. Accordingly, for the same reasons given for Claim 1, Claim 8 is believed to contain patentable subject matter. Accordingly, withdrawal of the rejection under 35 U.S.C. §103(a) and allowance of Claim 8 are respectfully requested.

In view of the foregoing amendments and remarks, it is respectfully submitted that all claims presently pending in the application, namely, Claims 1-16, are believed to be in condition for allowance and patentably distinguishable over the art of record.

If the Examiner should have any questions concerning this communication or feels that an interview would be helpful, the Examiner is requested to call John Vodopia, Esq., Intellectual Property Counsel, Philips Electronics North America, at 914-333-9627.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "George Likourezos", written over a horizontal line.

George Likourezos
Reg. No. 40,067
Attorney for Applicants

Mailing Address:
Intellectual Property Counsel
Philips Electronics North America Corp.
P.O. Box 3001
345 Scarborough Road
Briarcliff Manor, New York 10510-8001